

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product Name: Easy-Clean-Degreaser
Product Codes(s): Easy-Clean-Degreaser
Synonym(s): Aqueous based cleaner/degreaser
REACH Registration: No data available

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Degreaser and general purpose cleaner
Uses advised against: No uses advised against

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor
 Seal 'n Lock System Corp.
 13215 N. Nebraska Avenue, Bldg. A
 Tampa, FL 33612 USA
 813-852-1500



1.4 Emergency telephone number: INFOTRAC: 800-535-5053; Outside the USA or Canada: +1-352-323-3500

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture
Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008
 Skin Corrosive - Category 1B [H314]
 Specific Target Organ Toxicity, Single Exposure - Category 3 (STOT SE 3) [H335]

2.2 Label Elements

Hazard Symbol(s):  
 GHS05 GHS07

Signal Word: Danger

Hazard Statement(s): H314 - Causes severe skin burns and eye damage
 H335 - May cause respiratory irritation

Precautionary Statements:
[Prevention] P260 - Do not breathe mist, vapor or spray.
 P264 - Wash hands and other skin areas exposed to material thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves, protective clothing, eye protection and face protection.

[Response] P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.
 P363 - Wash contaminated clothing before reuse.
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P310 - Immediately call a POISON CENTER or doctor.
 P321 - Specific treatment: Refer to product label and Section 4 of this SDS. Seek medical advice as needed.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

[Storage] P405 + P403 + P233 - Store locked up in a well-ventilated place. Keep container tightly closed.
[Disposal] P501 - Dispose of contents and containers in accordance with national and local regulations.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
2 - 4	Disodium Trioxosilicate	6834-92-0	229-912-9	014-010-00-8	H314, H335
2 - 4	Ethoxylated Alcohol	Proprietary	-----	-----	-----
2 - 4	Quaternary Amine Compound	Proprietary	-----	-----	-----
2 - 4	Tetrapotassium Pyrophosphate	7320-34-5	230-785-7	-----	-----
0.2 - 1	1,2-Propanediol	57-55-6	200-338-0	-----	-----

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight fitting clothing such as a collar, tie, belt or waistband. Seek medical attention if symptoms persist.

Eyes: Immediately flush eyes with large amounts of water for 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after the first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing and continue rinsing for at least 15 minutes. Wash contaminated clothing and shoes thoroughly before reuse. If skin irritation persists, seek medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures, if any. Give 1 - 2 cupfuls of water or milk to drink if the victim is conscious and alert and able to swallow. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Corrosive. Causes serious eye irritation and burns. Symptoms may include redness, swelling, pain, tearing, blurred vision and burns. May cause permanent eye damage.

Skin: Causes severe skin irritation and burns with redness, itching, swelling and pain. The degree of injury depends on the concentration and duration of contact.

Inhalation: Mist or vapor may cause irritation of and burns to the nose, throat and respiratory tract. Symptoms may include burning sensation of the nose and mouth, sore throat, coughing, headache and shortness of breath.

Ingestion: Cause severe irritation and burns to the gastrointestinal tract. Symptoms include burns to the lips, mouth and throat, nausea, vomiting, abdominal pain and diarrhea.

Chronic: Pre-existing disorders of the skin and respiratory system may be aggravated by exposure to this product. Prolonged and repeated skin exposure may cause dermatitis. Chronic exposure to this product may cause damage to the kidneys, respiratory tract, skin and eyes.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishable media

Suitable methods of extinction: Use extinguishing media suitable for surrounding fire.

Unsuitable methods of extinction: None known

5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: None known

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing designated in Section 8. Remove all sources of ignition. Ventilate the area.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Wash contaminated area with soap and water. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8. Do not get in eyes or on skin or clothing. Do not breathe mist or vapor. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator.

Advice on protection against fire and explosion

No special precautions against fire and explosion are required.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep containers tightly closed. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Empty containers of this material may be hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep locked up and out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

CAS Number	Ingredient	OSHA PEL - TWA	ACGIH TLV	NIOSH
57-55-6	1,2-Propanediol	10 mg/m ³ TWA (aerosol only); 50 ppm; 155 mg/m ³ TWA (aerosol & vapor)	-----	-----

8.2 Exposure controls

Engineering Measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking or using the lavatory.

Eye/face protection: Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

Hand Protection: Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Other protective equipment: Protective clothing. Wear protective boots if the situation requires.

Respiratory Protection: None required with normal use. Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls: Do not empty into drains.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear, orange colored liquid
Odor	Mild
Odor Threshold	No data available
Molecular Weight	Not applicable
Chemical Formula	Not applicable
pH	11 - 12
Freezing/Melting Point, Range	<0 °C (<32 °F)
Initial Boiling Point	100 °C (212 °F)
Evaporation Rate	<1 (Water =1)
Flammability (solid, gas)	Not applicable
Flash Point	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Lower Explosive Limit (LEL)	No data available
Upper Explosive Limit (UEL)	No data available
Vapor Pressure	No data available
Vapor Density	>1 (Air = 1)
Specific gravity	1.0595 - 1.0605
Viscosity	<50 cPs
Solubility in Water	Complete
Partition Coefficient: n-octanol/water	No data available
Volatiles by Volume	>85%

9.2 Other data

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No special reactivity has been reported.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Extreme temperatures; incompatible materials

10.5 Incompatible materials

Strong oxidizing agents, acids, bases, reducing agents

10.6 Hazardous decomposition products

Thermal decomposition products include carbon oxides, nitrogen oxides, sodium oxides, phosphorous oxides, potassium oxides, low molecular weight hydrocarbons and other undefined compounds.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Oral Toxicity

This product is expected to have low acute oral toxicity.

Acute inhalation toxicity

Product is expected to have low acute inhalation toxicity.

Acute dermal toxicity

Product is expected to have low acute dermal toxicity.

Skin irritation

Causes skin severe burns

Eye irritation

Causes severe eye irritation and serious eye damage

Sensitization

No data available

Genotoxicity in vitro

No data available.

Mutagenicity

No data available

Specific organ toxicity - single exposure

No data available

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

No data is available regarding the carcinogenicity of the components of this product or of the finished product.

No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

This product contains materials that are harmful to aquatic organisms and may cause long term effects to the environment. Large discharges of this product to the environment may increase the pH of aquatic systems to a value >10, which may be fatal to aquatic life and soil micro-organisms.

12.2 Persistence and degradability

Organic materials in this product are expected to biodegrade over time. Inorganic substances are not biodegradable. Methods for the determination of biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulation potential

Product is not expected to bioaccumulate.

12.4 Mobility

Expected to have high mobility in soil.

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Additional ecological information

Large discharges may contribute to increasing the alkalinity of effluent treatment systems and injure/kill sewage treatment organisms.

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste: The classification of this product may meet the criteria for a hazardous waste.

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

NOT REGULATED FOR TRANSPORT

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

TSCA Status: All components of this product are listed on the TSCA Inventory. It is not subject to TSCA (12b) Export Notification.

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Acute Health Hazard

SARA 313 Information: No components of this product exceed the threshold (de minimis) reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains no CERCLA reportable substances.

Clean Air Act (CAA)

This product does not contain any chemicals listed as Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

Clean Water Act (CWA)

Sodium Hydroxide (CAS #1310-73-2) is listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

None of the components in this product are known to the State of California to cause cancer, birth defects or other reproductive harm.

Other U.S. State Inventories

Tetrapotassium Pyrophosphate (CAS #7320-34-5) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: MN, PA.

Canada

WHMIS Hazard Symbol and Classification:



D2B - Eye irritation - Skin irritation

Canadian National Pollutant Release Inventory (NPRI): No data available

European Economic Community

Labeling (67/548/EEC or 1999/45/EC)



C - Corrosive



Xi - Irritant

Risk Phrases: R34 - Causes burns.

R37 - Irritating to respiratory system.

Safety Phrases: S2 - Keep out of the reach of children.

S24/25 - Avoid contact with skin and eyes.

S37/39 - Wear suitable gloves and eye/face protection.

WGK, Germany (Water danger/protection): No data available

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)

Health	2
Flammability	0
Physical Hazard	0
Personal Protection	B

HMIS Hazard Rating Legend

* = Chronic Health Hazard
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH
4 = EXTREME




Safety Glasses



Gloves

National Fire Protection Association (NFPA)



NFPA Hazard Rating Legend

- 0 = INSIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH
- 4 = EXTREME

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Seal 'n Lock System Corp. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Revision: 27 March 2016
Preparation Date: 27 January 2014